ELSEVIER

Journal of Affective Disorders 80 (2004) 295–297

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Author index

Alem, A., see Fekadu, A. (80) 1
Alem, A., see Negash, A. (80) 221
ALSPAC Study Team, see Heron, J. (80) 65
Amering, M., see Berger, P. (80) 75

Bailey, K., see Chavira, D.A. (80) 163
Bankier, B., see Berger, P. (80) 75
Beekman, A., see ten Have, M. (80) 239
Beersma, D.G.M., see Mersch, P.P.A. (80) 209
Bengel, J., see Herwig, J.E. (80) 201
Berger, P., Sachs, G., Amering, M., Holzinger, A., Bankier, B. and Katschnig, H.
Personality disorder and social anxiety predict delayed response in drug and behavioral treatment of panic disorder (80) 75
Bottlender, R., see Maria Möller-Leimkühler, A. (80) 87
Bouhuys, A.L., see Mersch, P.P.A. (80) 209
Bradwejn, J., see Koszycki, D. (80) 285
Butterworth, P., see Parslow, R.A. (80) 181

Cardinali, D.P., see de Guevara, M.S.L. (80) 257
Chavira, D.A., Stein, M.B., Bailey, K. and Stein, M.T.
Comorbidity of generalized social anxiety disorder and depression in a pediatric primary care sample (80) 163
Chelminski, I., see Zimmerman, M. (80) 79
Copen, J., see Koszycki, D. (80) 285

De Geus, F., see Denys, D. (80) 155
De Graaf, R., see ten Have, M. (80) 239
De Guevara, M.S.L., Schauffele, S.I., Nicola-Siri, L.C., Fahrer, R.D., Ortíz-Frágola, E., Martínez-Martínez, J.A., Cardinali, D.P. and Guinjoan, S.M.
Worsening of depressive symptoms 6 months after an acute coronary event in older adults is associated with impairment of cardiac autonomic function (80) 257
Den Boer, J.A., see Mersch, P.P.A. (80) 209
Denys, D., Tenney, N., van Megen, H.J.G.M., de Geus, F. and Westenberg, H.G.M.
Axis I and II comorbidity in a large sample of patients with obsessive–compulsive disorder (80) 155
Deyessa, N., see Negash, A. (80) 221

Ekeberg, Ø., see Tyssen, R. (80) 191
El-Mallakh, R.S., see Li, R. (80) 11
Espie, C.A., see Millar, A. (80) 145
Evans, J., see Heron, J. (80) 65

Fahrer, R.D., see de Guevara, M.S.L. (80) 257
Fekadu, A., Shibre, T., Alem, A., Kebede, D., Kebreab, S., Negash, A. and Owen, M.J.
Bipolar disorder among an isolated island community in Ethiopia (80) 1
Fekadu, A., see Negash, A. (80) 221
Fekadu, D., see Negash, A. (80) 221
Fotiou, F., see Fountoulakis, K.N. (80) 291
Fountoulakis, K.N., Kaprinis, S., Iacovides, A., Fotiou, F., Kaprinis, G.
Biological markers and psychophysiological methods as long term response predictors to fluoxetine treatment (80) 291

Ganzini, L., see Misra, S. (80) 115
García-Reyna, J.C., see Graff-Guerrero, A. (80) 55
Glover, V., see Heron, J. (80) 65
Golding, J., see Heron, J. (80) 65
González-Olvera, J., see Graff-Guerrero, A. (80) 55
Graff-Guerrero, A., González-Olvera, J., Mendoza Espinosa, Y., Vaugier, V. and García-Reyna, J.C.
Correlation between cerebral blood flow and items of the Hamilton Rating Scale for Depression in antidepressant-naive patients (80) 55
Grønvold, N.T., see Tyssen, R. (80) 191
Guinjoan, S.M., see de Guevara, M.S.L. (80) 257

Hanusa, B.H., see Peindl, K.S. (80) 37
Hem, E., see Tyssen, R. (80) 191
Herbener, E.S., see Pavuluri, M.N. (80) 19
Heron, J., O'Connor, T.G., Evans, J., Golding, J., Glover, V. and the ALSPAC Study Team
The course of anxiety and depression through pregnancy and the postpartum in a community sample (80) 65
Herwig, J.E., Wirtz, M. and Bengel, J.
Depression, partnership, social support, and parenting: interaction of maternal factors with behavioral problems of the child (80) 199
Hillegers, M.H.J., see Reichart, C.G. (80) 263
Holzinger, A., see Berger, P. (80) 75
Hugo, C., see Seedat, S. (80) 45

Iacovides, A., see Fountoulakis, K.N. (80) 291

Jacobsson, L., see Negash, A. (80) 221
Jacomb, P.A., see Parslow, R.A. (80) 181

doi:10.1016/S0165-0327(04)00134-X

Jang, K.L., Livesley, W.J., Taylor, S., Stein, M.B. and Moon, E.C.
Heritability of individual depressive symptoms (80) 125
Jenner, J.A., see van Os, T.W.D.P. (80) 173
Jerrell, J.M. and Shugart, M.A.
A comparison of the phenomenology and treatment of youths and adults with bipolar I disorder in a state mental health system (80) 29
Jones, S.
Psychotherapy of bipolar disorder: a review (80) 101
Jorm, A.F., see Parslow, R.A. (80) 181

Kaprinis, G., see Fountoulakis, K.N. (80) 291
Kaprinis, S., see Fountoulakis, K.N. (80) 291
Katschnig, H., see Berger, P. (80) 75
Kebede, D., see Fekadu, A. (80) 1
Kebede, D., see Negash, A. (80) 221
Kebreab, S., see Fekadu, A. (80) 1
Kennedy, N. and Paykel, E.S.
Residual symptoms at remission from depression: impact on long-term outcome (80) 135
Kora, K., see Yazıcı, O. (80) 269
Koszycki, D., Copen, J. and Bradwejn, J.
Sensitivity to cholecystokinin-tetrapeptide in major depression (80) 285
Kullgren, G., see Negash, A. (80) 221

Lacy, T.J., see Rohan, K.J. (80) 273
Li, R. and El-Mallakh, R.S.
Differential response of bipolar and normal control lymphoblastoid cell sodium pump to ethacrynic acid (80) 11
Lindsey, K.T., see Rohan, K.J. (80) 273
Livesley, W.J., see Jang, K.L. (80) 125

Manicavasagar, V., see Momartin, S. (80) 231
Maria Möller-Leimkühler, A., Bottlender, R., Strauß, A. and Rutz, W.
Is there evidence for a male depressive syndrome in inpatients with major depression? (80) 87
Martínez-Martínez, J.A., see de Guevara, M.S.L. (80) 257
Meesters, Y., see Mersch, P.P.A. (80) 209
Melaku, Z., see Negash, A. (80) 221
Mendoza-Espinosa, Y., see Graff-Guerrero, A. (80) 55
Mersch, P.P.A., Vastenburg, N.C., Meesters, Y., Bouhuys, A.L., Beersma, D.G.M., van den Hoofdakker, R.H. and den Boer, J.A.
The reliability and validity of the Seasonal Pattern Assessment Questionnaire: a comparison between patient groups (80) 209
Millar, A., Espie, C.A. and Scott, J.
The sleep of remitted bipolar outpatients: a controlled naturalistic study using actigraphy (80) 145
Misra, S. and Ganzini, L.
Capacity to consent to research among patients with bipolar disorder (80) 115
Momartin, S., Silove, D., Manicavasagar, V. and Steel, Z.
Comorbidity of PTSD and depression: associations with trauma exposure, symptom severity and functional impairment in Bosnian refugees resettled in Australia (80) 231
Moon, E.C., see Jang, K.L. (80) 125

Negash, A., Kebede, D., Alem, A., Melaku, Z., Deyessa, N., Shibire, T., Fekadu, A., Fekadu, D., Jacobsson, L. and Kullgren, G.
Neurological soft signs in bipolar I disorder patients (80) 221
Negash, A., see Fekadu, A. (80) 1
Nicola-Siri, L.C., see de Guevara, M.S.L. (80) 257
Nolen, W.A., see Reichart, C.G. (80) 263

O'Connor, T.G., see Heron, J. (80) 65
Ormel, J., see van Os, T.W.D.P. (80) 173
Ormel, J., see Reichart, C.G. (80) 263
Ortíz-Frágola, E., see de Guevara, M.S.L. (80) 257
Owen, M.J., see Fekadu, A. (80) 1

Parslow, R.A., Jorm, A.F., Butterworth, P., Jacomb, P.A. and Rodgers, B.
An examination of seasonality experienced by Australians living in a continental temperate climate zone (80) 181
Pavuluri, M.N., Herbener, E.S. and Sweeney, J.A.
Psychotic symptoms in pediatric bipolar disorder (80) 19
Paykel, E.S., see Kennedy, N. (80) 135
Peindl, K.S., Wisner, K.L. and Hanusa, B.H.
Identifying depression in the first postpartum year: guidelines for office-based screening and referral (80) 37
Polat, A., see Yazıcı, O. (80) 269
Posternak, M., see Zimmerman, M. (80) 79

Reichart, C.G., van der Ende, J., Wals, M., Hillegers, M.H.J., Ormel, J., Nolen, W.A. and Verhulst, F.C.
The use of the GBI in a population of adolescent offspring of parents with a bipolar disorder (80) 263
Rodgers, B., see Parslow, R.A. (80) 181
Roecklein, K.A., see Rohan, K.J. (80) 273
Rohan, K.J., Lindsey, K.T., Roecklein, K.A. and Lacy, T.J.
Cognitive-behavioral therapy, light therapy, and their combination in treating seasonal affective disorder (80) 273
Rutz, W., see Maria Möller-Leimkühler, A. (80) 87

Sachs, G., see Berger, P. (80) 75
Şaylan, M., see Yazıcı, O. (80) 269
Schauffele, S.I., see de Guevara, M.S.L. (80) 257
Scott, J., see Millar, A. (80) 145
Seedat, S., Warwick, J., van Heerden, B., Hugo, C., Zungu-Dirwayi, N., Van Kradenburg, J. and Stein, D.J.
Single photon emission computed tomography in posttraumatic stress disorder before and after treatment with a selective serotonin reuptake inhibitor (80) 45
Selley, M.L.
Increased (*E*)-4-hydroxy-2-nonenal and asymmetric dimethylarginine concentrations and decreased nitric oxide concentrations in the plasma of patients with major depression (80) 249
Shibire, T., see Negash, A. (80) 221
Shibre, T., see Fekadu, A. (80) 1
Shugart, M.A., see Jerrell, J.M. (80) 29
Silove, D., see Momartin, S. (80) 231
Steel, Z., see Momartin, S. (80) 231
Stein, D.J., see Seedat, S. (80) 45

Stein, M.B., see Jang, K.L. (80) 125
Stein, M.B., see Chavira, D.A. (80) 163
Stein, M.T., see Chavira, D.A. (80) 163
Strauß, A., see Maria Möller-Leimkühler, A. (80) 87
Sweeney, J.A., see Pavuluri, M.N. (80) 19

Taylor, S., see Jang, K.L. (80) 125
Ten Have, M., de Graaf, R., Vollebergh, W. and Beekman, A.
What depressive symptoms are associated with the use of care services?
Results from the Netherlands Mental Health Survey and Incidence Study (NEMESIS) (80) 239
Tenney, N., see Denys, D. (80) 155
Tiemens, B.G., see van Os, T.W.D.P. (80) 173
Tyssen, R., Hem, E., Vaglum, P., Grønvold, N.T. and Ekeberg, Ø.
The process of suicidal planning among medical doctors: predictors in a longitudinal Norwegian sample (80) 191

Vaglum, P., see Tyssen, R. (80) 191
Van den Brink, R.H.S., see van Os, T.W.D.P. (80) 173
Van den Hoofdakker, R.H., see Mersch, P.P.A. (80) 209
Van der Ende, J., see Reichart, C.G. (80) 263
Van der Meer, K., see van Os, T.W.D.P. (80) 173
Van Heerden, B., see Seedat, S. (80) 45
Van Kradenburg, J., see Seedat, S. (80) 45
Van Megen, H.J.G.M., see Denys, D. (80) 155
Van Os, T.W.D.P., van den Brink, R.H.S., Tiemens, B.G., Jenner, J.A., van der Meer, K. and Ormel, J.
Are effects of depression management training for General Practitioners on patient outcomes mediated by improvements in the process of care? (80) 173
Vastenburg, N.C., see Mersch, P.P.A. (80) 209
Vaugier, V., see Graff-Guerrero, A. (80) 55
Verhulst, F.C., see Reichart, C.G. (80) 263
Vollebergh, W., see ten Have, M. (80) 239

Wals, M., see Reichart, C.G. (80) 263
Warwick, J., see Seedat, S. (80) 45
Westenberg, H.G.M., see Denys, D. (80) 155
Wirtz, M., see Herwig, J.E. (80) 199
Wisner, K.L., see Peindl, K.S. (80) 37

Yazıcı, O., Kora, K., Polat, A. and Şaylan, M.
Controlled lithium discontinuation in bipolar patients with good response to long-term lithium prophylaxis (80) 269

Zimmerman, M., Chelminski, I. and Posternak, M.
An illustration of how a self-report diagnostic screening scale could improve the internal validity of antidepressant efficacy trials (80) 79
Zungu-Dirwayi, N., see Seedat, S. (80) 45

ELSEVIER

Journal of Affective Disorders 80 (2004) 299–301

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Subject index

Actigraphy; Bipolar affective disorders; Manic depression; Sleep disturbance **80**, 145

Adolescents; Bipolar disorder; Offspring; General Behavior Inventory (GBI) **80**, 263

Adults; Bipolar I Disorder; Child/adolescent; Symptoms **80**, 29

Affective symptoms; Depression; Mental health services; Comorbidity **80**, 239

Antidepressant efficacy trials (AETs); Major depressive disorder (MDD); Self-report scale; Semi-structured diagnostic interview **80**, 79

Anxiety; Depression; Pregnancy **80**, 65

Anxiety disorder; Obsessive–compulsive disorder; Comorbidity; Personality disorders **80**, 155

Asymmetric dimethylarginine; Major depression; Cardiovascular disease; Plasma; Nitric oxide; (*E*)-4-hydroxy-2-nonenal **80**, 249

Autonomic nervous system; Depression; Coronary; Elderly **80**, 257

Bipolar; Isolated; Island; Prevalence **80**, 1

Bipolar affective disorders; Actigraphy; Manic depression; Sleep disturbance **80**, 145

Bipolar disorder; Ethacrynic acid; Na,K-ATPase; Sodium; Sodium pump **80**, 11

Bipolar disorder; Psychosis; Diagnosis; Delusions; Hallucinations; Child **80**, 19

Bipolar disorder; Psychotheraphy; Theoretical models **80**, 101

Bipolar disorder; Research; Decision-making capacity **80**, 115

Bipolar disorder; Neurological soft signs; Treatment naïve; Ethiopia **80**, 221

Bipolar disorder; Offspring; Adolescents; General Behavior Inventory (GBI) **80**, 263

Bipolar disorder; Lithium prophylaxis; Lithium discontinuation; Controlled discontinuation **80**, 269

Bipolar I Disorder; Child/adolescent; Adults; Symptoms **80**, 29

Bosnian refugees; Comorbidity; Trauma; PTSD and depression **80**, 231

Cardiovascular disease; Major depression; Plasma; Asymmetric dimethylarginine; Nitric oxide; (*E*)-4-hydroxy-2-nonenal **80**, 249

CCK-4; Major depression; Panic disorder; Panic attacks; Cholecystokinin **80**, 285

Child; Psychosis; Bipolar disorder; Diagnosis; Delusions; Hallucinations **80**, 19

Child/adolescent; Bipolar I Disorder; Adults; Symptoms **80**, 29

Children; Social anxiety disorder; Subtypes; Major depression; Primary care **80**, 163

Children; Mother; Rehabilitation; Depression; Parenting **80**, 199

Cholecystokinin; Major depression; Panic disorder; Panic attacks; CCK-4 **80**, 285

Cingulate cortex; SPECT; Depression; Hamilton; Frontal cortex; SPM99 **80**, 55

Citalopram; Posttraumatic stress disorder (PTSD); Single photon emission computed tomography (SPECT); Selective serotonin reuptake inhibitor (SSRI) **80**, 45

Cognitive-behavioral therapy; Seasonal affective disorder; Light therapy; Treatment durability **80**, 273

Communicative skills; Depression; Primary care; Training **80**, 173

Community survey; Seasonal affective disorder; Depressive symptoms **80**, 181

Comorbidity; Obsessive–compulsive disorder; Anxiety disorder; Personality disorders **80**, 155

Comorbidity; Trauma; PTSD and depression; Bosnian refugees **80**, 231

Comorbidity; Affective symptoms; Depression; Mental health services **80**, 239

Controlled discontinuation; Bipolar disorder; Lithium prophylaxis; Lithium discontinuation **80**, 269

Coronary; Depression; Elderly; Autonomic nervous system **80**, 257

Decision-making capacity; Research; Bipolar disorder **80**, 115

Delusions; Psychosis; Bipolar disorder; Diagnosis; Hallucinations; Child **80**, 19

Depression; SPECT; Hamilton; Frontal cortex; Cingulate cortex; SPM99 **80**, 55

Depression; Anxiety; Pregnancy **80**, 65

Depression; Primary care; Training; Communicative skills **80**, 173

Depression; Mother; Children; Rehabilitation; Parenting **80**, 199

doi:10.1016/S0165-0327(04)00135-1

Depression; Mental health services; Affective symptoms; Comorbidty **80**, 239

Depression; Coronary; Elderly; Autonomic nervous system **80**, 257

Depressive symptoms; Seasonal effective disorders; Community survey **80**, 13

Depressive symptoms; Male depressive syndrome; Gotland Scale for male depression; Gender differences; Unipolar major depression **80**, 87

Depressive symptoms; Twins; Heritability **80**, 125

Depressive symptoms; Seasonal affective disorder; Community survey **80**, 181

Depressive symptoms; Suicidal process; Suicidal ideation; Medical doctors **80**, 191

Diagnosis; Psychosis; Bipolar disorder; Delusions; Hallucinations; Child **80**, 19

Edinburgh Postnatal Depression Scale; Postpartum depression; Screen for depression **80**, 37

(*E*)-4-hydroxy-2-nonenal; Major depression; Cardiovascular disease; Plasma; Asymmetric dimethylarginine; Nitric oxide **80**, 249

Elderly; Depression; Coronary; Autonomic nervous system **80**, 257

Ethacrynic acid; Bipolar disorder; Na,K-ATPase; Sodium; Sodium pump **80**, 11

Ethiopia; Bipolar disorder; Neurological soft signs; Treatment naïve **80**, 221

Frontal cortex; SPECT; Depression; Hamilton; Cingulate cortex; SPM99 **80**, 55

Gender differences; Depressive symptoms; Male depressive syndrome; Gotland Scale for male depression; Unipolar major depression **80**, 87

General Behavior Inventory (GBI); Bipolar disorder; Offspring; Adolescents **80**, 263

Gotland Scale for male depression; Depressive symptoms; Male depressive syndrome; Gender differences; Unipolar major depression **80**, 87

Hallucinations; Psychosis; Bipolar disorder; Diagnosis; Delusions; Child **80**, 19

Hamilton; SPECT; Depression; Frontal cortex; Cingulate cortex; SPM99 **80**, 55

Heritability; Depressive symptoms; Twins **80**, 125

Incomplete recovery; Severe depression; Recurrent depression; Residual symptoms; Long-term outcome; Social functioning **80**, 135

Island; Bipolar; Isolated; Prevalence **80**, 1

Isolated; Bipolar; Island; Prevalence **80**, 1

Lithium discontinuation; Bipolar disorder; Lithium prophylaxis; Controlled discontinuation **80**, 269

Lithium prophylaxis; Bipolar disorder; Lithium discontinuation; Controlled discontinuation **80**, 269

Light therapy; Seasonal affective disorder; Cognitive-behavioral therapy; Treatment durability **80**, 273

Long-term outcome; Severe depression; Recurrent depression; Residual symptoms; Incomplete recovery; Social functioning **80**, 135

Major depression; Social anxiety disorder; Subtypes; Children; Primary care **80**, 163

Major depression; Cardiovascular disease; Plasma; Asymmetric dimethylarginine; Nitric oxide; (*E*)-4-hydroxy-2-nonenal **80**, 249

Major depression; Panic disorder; Panic attacks; Cholecystokinin; CCK-4 **80**, 285

Major depressive disorder (MDD); Antidepressant efficacy trials (AETs); Self-report scale; Semi-structured diagnostic interview **80**, 79

Male depressive syndrome; Depressive symptoms; Gotland Scale for male depression; Gender differences; Unipolar major depression **80**, 87

Manic depression; Actigraphy; Bipolar affective disorders; Sleep disturbance **80**, 145

Medical doctors; Suicidal process; Suicidal ideation; Depressive symptoms **80**, 191

Mental health services; Depression; Affective symptoms; Comorbidity **80**, 239

Mother; Children; Rehabilitation; Depression; Parenting **80**, 199

Na,K-ATPase; Bipolar disorder; Ethacrynic acid; Sodium; Sodium pump **80**, 11

Neurological soft signs; Bipolar disorder; Treatment naïve; Ethiopia **80**, 221

Nitric oxide; Major depression; Cardiovascular disease; Plasma; Asymmetric dimethylarginine; (*E*)-4-hydroxy-2-nonenal **80**, 249

Obsessive–compulsive disorder; Anxiety disorder; Comorbidity; Personality disorders **80**, 155

Offspring; Bipolar disorder; Adolescents; General Behavior Inventory (GBI) **80**, 263

Panic attacks; Major depression; Panic disorder; Cholecystokinin; CCK-4 **80**, 285

Panic disorder; Personality disorder; Social phobia; Treatment-outcome **80**, 75

Panic disorder; Major depression; Panic attacks; Cholecystokinin; CCK-4 **80**, 285

Parenting; Mother; Children; Rehabilitation; Depression **80**, 199

Personality disorder; Panic disorder; Social phobia; Treatment-outcome **80**, 75

Personality disorders; Obsessive–compulsive disorder; Anxiety disorder; Comorbidity **80**, 155

Plasma; Major depression; Cardiovascular disease; Asymmetric dimethylarginine; Nitric oxide; (*E*)-4-hydroxy-2-nonenal **80**, 249

Postpartum depression; Edinburgh Postnatal Depression Scale; Screen for depression **80**, 37

Posttraumatic stress disorder (PTSD); Single photon emission computed tomography (SPECT); Selective serotonin reuptake inhibitor (SSRI); Citalopram **80**, 45

Pregnancy; Anxiety; Depression **80**, 65

Prevalence; Bipolar; Isolated; Island **80**, 1

Prevalence; SPAQ; SAD; Reliability; Validity **80**, 209

Primary care; Social anxiety disorder; Subtypes; Children; Major depression **80**, 163

Primary care; Depression; Training; Communicative skills **80**, 173

Psychosis; Bipolar disorder; Diagnosis; Delusions; Hallucinations; Child **80**, 19

Psychotherapy; Bipolar disorder; Theoretical models **80**, 101

PTSD and depression; Comorbidity; Trauma; Bosnian refugees **80**, 231

Recurrent depression; Severe depression; Residual symptoms; Incomplete recovery; Long-term outcome; Social functioning **80**, 135

Rehabilitation; Mother; Children; Depression; Parenting **80**, 199

Reliability; SPAQ; SAD; Validity; Prevalence **80**, 209

Research; Decision-making capacity; Bipolar disorder **80**, 115

Residual symptoms; Severe depression; Recurrent depression; Incomplete recovery; Long-term outcome; Social functioning **80**, 135

SAD; SPAQ; Reliability; Validity; Prevalence **80**, 209

Screen for depression; Postpartum depression; Edinburgh Postnatal Depression Scale **80**, 37

Seasonal affective disorder; Depressive symptoms; Community survey **80**, 181

Seasonal affective disorder; Cognitive-behavioral therapy; Light therapy; Treatment durability **80**, 273

Selective serotonin reuptake inhibitor (SSRI); Posttraumatic stress disorder (PTSD); Single photon emission computed tomography (SPECT); Citalopram **80**, 45

Self-report scale; Major depressive disorder (MDD); Antidepressant efficacy trials (AETs); Semi-structured diagnostic interview **80**, 79

Semi-structured diagnostic interview; Major depressive disorder (MDD); Antidepressant efficacy trials (AETs); Self-report scale **80**, 79

Severe depression; Recurrent depression; Residual symptoms; Incomplete recovery; Long-term outcome; Social functioning **80**, 135

Single photon emission computed tomography (SPECT); Posttraumatic stress disorder (PTSD); Selective serotonin reuptake inhibitor (SSRI); Citalopram **80**, 45

Sleep disturbance; Actigraphy; Bipolar affective disorders; Manic depression **80**, 145

Social anxiety disorder; Subtypes; Children; Major depression; Primary care **80**, 163

Social functioning; Severe depression; Recurrent depression; Residual symptoms; Incomplete recovery; Long-term outcome **80**, 135

Social phobia; Panic disorder; Personality disorder; Treatment-outcome **80**, 75

Sodium; Bipolar disorder; Ethacrynic acid; Na,K-ATPase; Sodium pump **80**, 11

Sodium pump; Bipolar disorder; Ethacrynic acid; Na,K-ATPase; Sodium **80**, 11

SPAQ; SAD; Reliability; Validity; Prevalence **80**, 209

SPECT; Depression; Hamilton; Frontal cortex; Cingulate cortex; SPM99 **80**, 55

SPM99; SPECT; Depression; Hamilton; Frontal cortex; Cingulate cortex **80**, 55

Subtypes; Social anxiety disorder; Children; Major depression; Primary care **80**, 163

Suicidal ideation; Suicidal process; Depressive symptoms; Medical doctors **80**, 191

Suicidal process; Suicidal ideation; Depressive symptoms; Medical doctors **80**, 191

Symptoms; Bipolar I Disorder; Child/adolescent; Adults **80**, 29

Theoretical models; Bipolar disorder; Psychotherapy **80**, 101

Training; Depression; Primary care; Communicative skills **80**, 173

Trauma; Comorbidity; PTSD and depression; Bosnian refugees **80**, 231

Treatment durability; Seasonal affective disorder; Cognitive-behavioral therapy; Light therapy **80**, 273

Treatment naïve; Bipolar disorder; Neurological soft signs; Ethiopia **80**, 221

Treatment-outcome; Panic disorder; Personality disorder; Social phobia **80**, 75

Twins; Depressive symptoms; Heritability **80**, 125

Unipolar major depression; Depressive symptoms; Male depressive syndrome; Gotland Scale for male depression; Gender differences **80**, 87

Validity; SPAQ; SAD; Reliability; Prevalence **80**, 209

Vol. 80
Contents

2004